

**Titel:** Sortiment Zuidelijke Coniferen  
**Ondertitel:** Overzicht, documentatie en aanwijzingen voor kweek en vermeerdering  
**Auteur:** Dr. R. C. Kruijt

## Literatuurlijst met links

Amoo, M., U. Salzmann, M. Pound, N. Thompson & P. Bijl (2022): Eocene to Oligocene vegetation and climate in the Tasmanian Gateway region were controlled by changes in ocean currents and pCO<sub>2</sub>. *Clim. Past*, 18, 525–546.

Online: <https://doi.org/10.5194/cp-18-525-2022>

Andruchow-Colombo, A. (2018): A South American fossil relative of *Phyllocladus laubenfelsii* gen. et sp. nov. (Podocarpaceae), from the early Eocene of Laguna del Hunco, Patagonia, Argentina. *Australian Systematic Botany* 32: 290–309.

Online: [https://www.researchgate.net/profile/Ana-Andruchow-Colombo/publication/334487176\\_A\\_South\\_American\\_fossil\\_relative\\_of\\_Phyllocladus\\_Huncocladus\\_laubenfelsii\\_gen\\_et\\_sp\\_nov\\_Podocarpaceae\\_from\\_the\\_early\\_Eocene\\_of\\_Laguna\\_del\\_Hunco\\_Patagonia\\_Argentina/links/5d2df195a6fdcc2462e5b0bb/A-South-American-fossil-relative-of-Phyllocladus-Huncocladus-laubenfelsii-gen-et-sp-nov-Podocarpaceae-from-the-early-Eocene-of-Laguna-del-Hunco-Patagonia-Argentina.pdf](https://www.researchgate.net/profile/Ana-Andruchow-Colombo/publication/334487176_A_South_American_fossil_relative_of_Phyllocladus_Huncocladus_laubenfelsii_gen_et_sp_nov_Podocarpaceae_from_the_early_Eocene_of_Laguna_del_Hunco_Patagonia_Argentina/links/5d2df195a6fdcc2462e5b0bb/A-South-American-fossil-relative-of-Phyllocladus-Huncocladus-laubenfelsii-gen-et-sp-nov-Podocarpaceae-from-the-early-Eocene-of-Laguna-del-Hunco-Patagonia-Argentina.pdf)

Anker, S., Colhoun, E., Barton, C., Peterson, M., Barbetti, M. (2001) Holocene Vegetation and Paleoclimatic and Paleomagnetic History from Lake Johnston, Tasmania. *Quaternary Research* 56, 264–274.

Auders, A. & Spicer, D. (2012): *Encyclopedia of Conifers*. 2 delen: 1-1506. RHS 2012.

Biffin, E., T. Brodribb, R. Hill, P. Thomas & A. Lowe (2011): Leaf evolution in Southern Hemisphere conifers tracks the angiosperm ecological radiation. *Proc. R. Soc. B* 279: 341–348.

Online: <https://pmc.ncbi.nlm.nih.gov/articles/PMC3223667/pdf/rspb20110559.pdf>

Bijl, P., J. Bendle, S. Bohatyc, J. Pross, S. Schouten, L. Tauxe, C. Stickley, R. McKay, U. Röhl, M. Olney, A. Sluijs, C. Escutia & H. Brinkhuis (2013): Eocene cooling linked to early flow across the Tasmanian Gateway. *PNAS* 110(24): 9645–9650.

Online: [www.pnas.org/cgi/doi/10.1073/pnas.1220872110](http://www.pnas.org/cgi/doi/10.1073/pnas.1220872110)

Buchholz & Gray artikelen serie over *Podocarpus s.l.*:

Deel 1 Online (J. Arnold Arb. 29: 49 - 63):

<https://www.biodiversitylibrary.org/partpdf/185589>

Deel 2 Online (J. Arnold Arb. 29: 64 - 76):

<https://www.biodiversitylibrary.org/partpdf/185590>

Deel 3 Online (J. Arnold Arb. 29: 117 - 122):

<https://www.biodiversitylibrary.org/partpdf/26197>

Deel 4 Online (J. Arnold Arb. 29: 123--151):

<https://www.biodiversitylibrary.org/partpdf/26198>

Deel 5 Online (J. Arnold Arb. 32: 82 - 92):

<https://www.biodiversitylibrary.org/partpdf/9729>

Deel 6 Online (J. Arnold Arb. 32: 93 - 97):  
<https://www.biodiversitylibrary.org/partpdf/185956>

Deel 7 Online (J. Arnold Arb. 34: 67 - 76):  
<https://www.biodiversitylibrary.org/partpdf/185965>

Deel 8 Online (J. Arnold Arb. 34: 163 - 175):  
<https://www.biodiversitylibrary.org/partpdf/27150>

Deel 9 Online (J. Arnold Arb. 36: 199 - 207):  
<https://www.biodiversitylibrary.org/partpdf/324650>

Deel 10 Online (J. Arnold Arb. 37: 160 - 172):  
<https://www.biodiversitylibrary.org/partpdf/185994>

Deel 11 Online (J. Arnold Arb. 39: 424 - 477):  
<https://www.biodiversitylibrary.org/partpdf/186019>

Deel 12 Online (J. Arnold Arb. 41: 36 - 39):  
<https://www.biodiversitylibrary.org/partpdf/324665>

Deel 13 Online (J. Arnold Arb. 43: 67 - 79):  
<https://www.biodiversitylibrary.org/partpdf/117538>

Conran, J. et al (2000): Generic relationships within and between the Gymnosperm families Podocarpaceae and Phyllocladaceae based on an analysis of the chloroplast gene *rbcl*. Aust. J. Bot. 48: 715–724.

De Laubenfels, D. (1985): A taxonomic revision of the genus *Podocarpus*. Blumea 30.2: 251 - 278.  
Online: <https://repository.naturalis.nl/pub/524516/BLUM1985030002002.pdf>

De Laubenfels, D. (1988): Podocarpaceae in: Flora Malesiana, ser. I, vol. 10-1: 351 – 419.  
Online: <https://repository.naturalis.nl/pub/532614/FM1S1984010001015.pdf>

De Laubenfels, D. (2015): New Sections and Species of *Podocarpus* based on the taxonomic Status of *P. neriifolius* (Podocarpaceae) in Tropical Asia. Novon 24(2):133-152.

Farjon, A. (2001): World Checklist and Bibliography of Conifers. 2nd edn.  
Royal Botanical Gardens, Kew.

Farjon, A. (2005): A monograph of Cupressaceae and *Sciadopitys*. 1 - 643.  
Royal Botanic Gardens, Kew.

Farjon, A. (2017): A handbook of the world's Conifers **2nd Ed.** 2 delen: 1-1153. Brill, Leiden.

Francis, J.E., S. Marensi, R. Levy, M. Hambrey, V. C. Thorn, B. Mohr, H. Brinkhuis, J. Warnaar, J. Zachos, S. Bohaty & R. DeConto (2008): From Greenhouse to Icehouse - The Eocene/Oligocene in Antarctica. *Developments in Earth and Environmental Sciences* 8: 309-368.  
Online: [https://d1wqtxts1xzle7.cloudfront.net/106889200/Francis\\_et\\_al.2008-libre.pdf?1698145334=&response-content-disposition=inline%3B+filename%3DChapter\\_8\\_From\\_Greenhouse\\_to\\_Icehouse\\_Th.pdf&Expires=1752490845&Signature=Ucmq5UvAHKt5j5Ed-lyNMMywzxxFCnhbEoFStXiljEdef8Z-DMhRhViDjqlvUln-o~RZXZnIE4Nyr5K9W2-NMpTSAKI~gBuGwtDfxAfPYLj8~4MhpQgnNZ~4tTfSG0WtOjgiga1wUizJ34BA90lp9VnThttN~dDEi2-KSEWVgL29fhrFH9WlvRKRpO7kiicvtioK4CangenGHyouxqMomnkGDKApnEz-NK3dSDPaPt0a3o9gurGOqnYLk1pXnkEKW0e7navuNVcsUq8VNDyV7x88tPdQrAHYIJUWzULZ6q6jA3v~yR1PtV4k88uxdGkqWXd4k6ZZsGFi2ya2kPVwwyQ\\_&Key-Pair-Id=APKAJLOHF5GGSLRBV4ZA](https://d1wqtxts1xzle7.cloudfront.net/106889200/Francis_et_al.2008-libre.pdf?1698145334=&response-content-disposition=inline%3B+filename%3DChapter_8_From_Greenhouse_to_Icehouse_Th.pdf&Expires=1752490845&Signature=Ucmq5UvAHKt5j5Ed-lyNMMywzxxFCnhbEoFStXiljEdef8Z-DMhRhViDjqlvUln-o~RZXZnIE4Nyr5K9W2-NMpTSAKI~gBuGwtDfxAfPYLj8~4MhpQgnNZ~4tTfSG0WtOjgiga1wUizJ34BA90lp9VnThttN~dDEi2-KSEWVgL29fhrFH9WlvRKRpO7kiicvtioK4CangenGHyouxqMomnkGDKApnEz-NK3dSDPaPt0a3o9gurGOqnYLk1pXnkEKW0e7navuNVcsUq8VNDyV7x88tPdQrAHYIJUWzULZ6q6jA3v~yR1PtV4k88uxdGkqWXd4k6ZZsGFi2ya2kPVwwyQ_&Key-Pair-Id=APKAJLOHF5GGSLRBV4ZA)

Fu Liguo, Li Yong & R. Mill (1999): Podocarpaceae. In: *Flora of China* 4: 78–84.

Gadek, P., D. Alpers, M. Heslewood & C. Quinn (2000): Relationships within Cupressaceae sensu lato: a Combined Morphological and Molecular Approach. *American Journal of Botany* 87(7): 1044–1057.  
Online: <https://bsapubs.onlinelibrary.wiley.com/doi/pdfdirect/10.2307/2657004>

Haase, P. (1992): Isozyme variation and genetic relationships in *Phyllocladus trichomanoides* and *P. alpinus* (Podocarpaceae). *New Zealand Journal of Botany*, 30(3): 359-363.  
Online: <https://www.tandfonline.com/doi/epdf/10.1080/0028825X.1999.9512642?needAccess=true>

Hill, R. & T. Brodribb (2003): Evolution of Conifer Foliage in the Southern Hemisphere. *ISHS Acta Horticulturae* 615 IV International Conifer Conference.  
Online: [https://www.researchgate.net/profile/Robert-Hill-12/publication/284448651\\_Evolution\\_of\\_conifer\\_foliage\\_in\\_the\\_Southern\\_Hemisphere/links/56561b9808ae1ef92979d190/Evolution-of-conifer-foliage-in-the-Southern-Hemisphere.pdf](https://www.researchgate.net/profile/Robert-Hill-12/publication/284448651_Evolution_of_conifer_foliage_in_the_Southern_Hemisphere/links/56561b9808ae1ef92979d190/Evolution-of-conifer-foliage-in-the-Southern-Hemisphere.pdf)

Hochmuth, K. K. Gohl, G. Leitchenkov, I. Sauermilch, J. M. Whittaker, G. Uenzelmann-Neben, B. Davy & L. De Santis (2020): The Evolving Paleobathymetry of the Circum-Antarctic Southern Ocean Since 34 Ma: A Key to Understanding Past Cryosphere–Ocean Developments. *Geochemistry, Geophysics, Geosystems*, 21, e2020GC009122.  
Online: <https://doi.org/10.1029/2020GC009122>

Hoffmann, M & M. Lemmens (2024): Nederlandse namen van cultuurplanten. *Naktuinbouw & Nederlandse Vereniging van Botanische Tuinen (NVBT) Tweede editie: 1-435*. Online: <https://www.naktuinbouw.nl/download?id=d3YxM1FhakZ1Smxsl3p3ejl3Qk5vT2FYeFBPTDhBPTO=>

Jong, Piet de (2021): *Fitzroya cupressoides*, een bijzondere naaldboom. *Arbor Vitae* 31(1): 14 - 15.  
Online: <https://dendrologie.nl/arbor-vitae/fitzroya-cupressoides-een-bijzondere-naaldboom/>

Knopf, P., C. Schulz, D. Little, T. Stützel, D. Stevenson (2012): Relationships within Podocarpaceae based on DNA sequence, anatomical, morphological, and biogeographical data. *Cladistics* 28: 271–299.  
Online: <https://onlinelibrary.wiley.com/doi/epdf/10.1111/j.1096-0031.2011.00381.x>

Kruijt, Rob (2020): Het is niet altijd wat het lijkt – deel 1. *Blijdenstein Nieuws* 45: 20 - 22.  
Online: <https://www.pinetum.nl/BN/view/12/KnJ6Y88U7AC3J6jcN334rYkDQ/>

Kruijt, Rob (2021a): Determineren van *Podocarpus*. *Blijdenstein Nieuws* 46: 7 - 10.  
Online: <https://www.pinetum.nl/BN/view/11/dzaMqfBf26nHz7RPuke95MheN/>

- Kruijt, Rob (2021b): *Lagarostrobos*: tijdreis in Blijdenstein. *Arbor Vitae* 31(1):7 - 10.  
Online: <https://dendrologie.nl/arbor-vitae/lagarostrobos-tijdreis-in-blijdenstein/>
- Kruijt, Rob (2021c): Zuidelijke Coniferen in de tuin of in huis. *Arbor Vitae* 31(3): 8 - 10.  
Online: <https://dendrologie.nl/arbor-vitae/Zuidelijke-coniferen-in-de-tuin-of-in-huis/>
- Kruijt, Rob (2022): Coniferen van Gondwanaland en Antarctica. *Blijdenstein Nieuws* 48: 13 – 15.  
Online: <https://www.pinetum.nl/BN/view/9/YnfjHS9bgQHmRsU6fUS2R8y56/>
- Kruijt, Rob (2024): *Pherosphaera fitzgeraldii*: een waterval conifeer. *Blijdenstein Nieuws* 53: 12-13.  
Online: <https://www.pinetum.nl/BN/view/38/EFzdTYjz29zsaDAGN6SwPRD3a/>
- Kruijt, Rob (2025): *Phyllocladus aspleniifolius*. *Blijdenstein Nieuws* 54: 9 – 12.  
Online: <https://www.pinetum.nl/BN/view/39/J8kqr5mFKdhAcGjSZa4DxSfQD/>
- Langhe, J. de (2023): *Podocarpus*. Vegetative Key To Species in Cultivation. Ghent University Botanical Garden.  
Online: [https://www.arboretumwespelaar.be/UserFiles/file/SleutelsPDF/Key\\_PODOCARPUS\\_JDL.pdf](https://www.arboretumwespelaar.be/UserFiles/file/SleutelsPDF/Key_PODOCARPUS_JDL.pdf)  
Online afbeeldingen van plantensoorten die in de sleutels voorkomen:  
[https://www.arboretumwespelaar.be/NL/Identificatiesleutels\\_en\\_afbeeldingen/Lijst\\_van\\_geillustreerde\\_taxa/](https://www.arboretumwespelaar.be/NL/Identificatiesleutels_en_afbeeldingen/Lijst_van_geillustreerde_taxa/)
- McPhail, M. & D. Cantrill (2006): Age and implications of the Forest Bed, Falkland Islands, southwest Atlantic Ocean: Evidence from fossil pollen and spores. *Palaeogeography, Palaeoclimatology, Palaeoecology* 240: 602–629.
- Mill, R. (2014). A monographic revision of the genus *Podocarpus* (Podocarpaceae): 1. Historical review. *Edinburgh Journal of Botany* 71 (3): 309 – 360.  
Online: <https://journals.rbge.org.uk/ejb/article/view/1562/1453>
- Molloy, B & K. Markham (2010): A contribution to the taxonomy of *Phyllocladus* (Phyllocladaceae) from the distribution of key Flavonoids. *New Zealand Journal of Botany*, 37:3, 375-382.  
Online: <https://doi.org/10.1080/0028825X.1999.9512642>
- Molloy, B. (2015): The correct name for the New Zealand endemic conifer Hall’s totara (Araucariales: Podocarpaceae). *Phytotaxa* 220 (2): 101–116.
- Rees-Owen, R., F. Gill, R. Newton, R. Ivanovic, J. Francis, J. Riding, C. Vane, R. Lopes dos Santos (2018): The last forests on Antarctica: Reconstructing flora and temperature from the Neogene Sirius Group, Transantarctic Mountains. *Organic Geochemistry* 118: 4–14.  
Online: <https://doi.org/10.1016/j.orggeochem.2018.01.001>

Snapcott, A. (1997): Population Genetics of the Long-lived Huon Pine *Lagarostrobos franklinii*: an endemic Tasmanian temperate rainforest tree. *Biological Conservation* 80: 169-179.  
Online: [https://d1wqtxts1xzle7.cloudfront.net/50220777/s0006-3207\\_2896\\_2900076-620161109-14273-1yrryr7-libre.pdf?1478742930=&response-content-disposition=inline%3B+filename%3DPopulation\\_genetics\\_of\\_the\\_long\\_lived\\_Hu.pdf&Expires=1754136431&Signature=LyA0c~rAzWfz1drqgV6MZYQsTMh~66LHro1gzt2BXJsLIB2LI2oL9YRmKlf9fIFJ3hxpGP56MBXfvJLjDXOAwffZelm~ejPilv5QK4o21VyYDXopa7hnky506rMMDrILqAWQeOU~FuRvWb4N9hqlM2nBRHcPu4WdKqiAzeXnCS7aCF1rmyAft2BoINqSf3LXFdN4SC~CIEXlg75zfyPdoNltGBtVLCZPkmeJ-fAvdNbOz6J4RzHBh1jaJGal8LUPPVsFF~2zXiD6J-kTdS4D3Hu9jtXeofcNuC9X1WpRG28skLUiaKctIJDhZVLa25eixN~lqSVqr0c0-v5ka26iRQ\\_&Key-Pair-Id=APKAJLOHF5GGSLRBV4ZA](https://d1wqtxts1xzle7.cloudfront.net/50220777/s0006-3207_2896_2900076-620161109-14273-1yrryr7-libre.pdf?1478742930=&response-content-disposition=inline%3B+filename%3DPopulation_genetics_of_the_long_lived_Hu.pdf&Expires=1754136431&Signature=LyA0c~rAzWfz1drqgV6MZYQsTMh~66LHro1gzt2BXJsLIB2LI2oL9YRmKlf9fIFJ3hxpGP56MBXfvJLjDXOAwffZelm~ejPilv5QK4o21VyYDXopa7hnky506rMMDrILqAWQeOU~FuRvWb4N9hqlM2nBRHcPu4WdKqiAzeXnCS7aCF1rmyAft2BoINqSf3LXFdN4SC~CIEXlg75zfyPdoNltGBtVLCZPkmeJ-fAvdNbOz6J4RzHBh1jaJGal8LUPPVsFF~2zXiD6J-kTdS4D3Hu9jtXeofcNuC9X1WpRG28skLUiaKctIJDhZVLa25eixN~lqSVqr0c0-v5ka26iRQ_&Key-Pair-Id=APKAJLOHF5GGSLRBV4ZA)

Stockey, R. (1990): Antarctic and Gondwana Conifers, pag. 179 - 191 In: T. Taylor & E. Taylor (Eds.): *Antarctic Paleobiology. Its Role in the Reconstruction of Gondwana. I – X*, 1 - 261. Springer, New York. ISBN-13: 978-1-4612-7929-7

Vento, B., F. Agrain & G. Puebla (2022): Ancient Antarctica: the early evolutionary history of *Nothofagus*. *Historical Biology* 1 - 11.  
Online: <https://doi.org/10.1080/08912963.2022.2150549>

Wagstaff, S.J. (2004): Evolution and biogeography of the austral genus *Phyllocladus* (Podocarpaceae). *J. Biogeogr.* 31: 1569–1577.  
Online: [https://www.researchgate.net/profile/Steven-Wagstaff/publication/230184707\\_Evolution\\_and\\_biogeography\\_of\\_the\\_austral\\_genus\\_Phyllocladus\\_Podocarpaceae/links/59ee23c60f7e9b3695759733/Evolution-and-biogeography-of-the-austral-genus-Phyllocladus-Podocarpaceae.pdf](https://www.researchgate.net/profile/Steven-Wagstaff/publication/230184707_Evolution_and_biogeography_of_the_austral_genus_Phyllocladus_Podocarpaceae/links/59ee23c60f7e9b3695759733/Evolution-and-biogeography-of-the-austral-genus-Phyllocladus-Podocarpaceae.pdf)

Warny, S., R. Askin, M. Hannah, B. Mohr, J. Raine, D. Harwood, F. Florindo and the SMS Science Team (2009): Palynomorphs from a sediment core reveal a sudden remarkably warm Antarctica during the middle Miocene. *Geology*, 37 (10): 955–958.  
Online: [https://www.academia.edu/download/46206441/Palynomorphs\\_from\\_a\\_sediment\\_core\\_reveal20160603-8577-115ur6e.pdf](https://www.academia.edu/download/46206441/Palynomorphs_from_a_sediment_core_reveal20160603-8577-115ur6e.pdf)